



Dart Aerospace Ltd.
1270 Aberdeen St
Hawkesbury, ON
K6A 1K7
Canada

Tel (613) 632-5200
Fax 613 632-5246

RBW6305G26631-3G-3-PO
Job Sheet 185462



Part No: RBW6305G26631-3G-3-PO **Job Qty:** 8 ea

Part Name: Handle



Part Weight: 0 lbs

Status: Scheduled

Priority: Medium

Job Created: 10/26/18

Job Tracking No:

Due Date: 12/17/18

Created By: Patrick Lussier

Type: Stock

Description:

Note: DWG RBW6305G26631-3G Rev.2 IPP Rev. A 18.10.23 New issue DP Verify DD

Ship Via:

Bill of Materials

Job Routing

Op No	Operation	Qty	Start Date	Due Date	Standard		Workcenter/Supplier		Sign-off
					Setup Hrs	Run Hrs	Workcenter / Supplier	Lead Time	
100	Purchasing	8 pcs		12/17/18	0.00	0.00	Purchasing		DEC 18 2018
110	Packaging	8 pcs		12/17/18	0.00	0.00	Packaging2		DEC 18 2018
120	QC	8 pcs		12/17/18	0.00	0.00	QC6		61
130	Packaging	8 pcs		12/17/18	0.00	0.00	Packaging3		DEC 20 2018
140	QC21-FG	8 Ea		12/17/18	0.00	0.00	QC21		31

Part Op 100 - Issue P/O: 041367 MANUFACTURE RBW6305G26631-3G-3 AS PER DWG Supplier: METEC Certificate of Descriptions: conformity is required

GA096

PO Details

Metec Metal Technology Inc. (mem001-vc)



PO No: PO041367
Line No: 26

Job BOM

Part / Item	Component Name	Quantity	Operation	Container
RBW6305G26631-3G-3P	Handle	8 Ea (1 ea)	100-Purchasing	5139009

Job Allocations

Operation	Component Part	Required	Inventory	Allocated
100-Purchasing	RBW6305G26631-3G-3P	8	8	0



Container No: S139013



Part: RBW6305G26631-3G-3

Job No: 185462

Serial No/Batch: S139013

Revision: 2

Inspector:

Exp Date:

Instructions:

Date: 12/19/18

ations

l not be found.

Plex 12/17/18 11:43 AM dart.belanger.natasha

DEC 18 1940
DEC 18 1940

12
13
14



Dart Aerospace Ltd.
1270 Aberdeen St
Hawkesbury, ON
K6A 1K7
Canada

Tel (613) 632-5200
Fax 613 632-5246

RBW6305G26631-3G-3-PO
Job Sheet 185462



Part No: RBW6305G26631-3G-3-PO

Job Qty: 2 ea

Part Name: Handle



Part Weight: 0 lbs

Status: New

Priority: Medium

Job Created: 10/26/18

Job Tracking No:

Due Date: 12/17/18

Created By: Patrick Lussier

Type: Stock

Description:

Note: DWG RBW6305G26631-3G Rev 2 IPP Rev A 18.10.23 New issue DP Verify DD

Ship Via:

Bill of Materials

Job Routing

Op No	Operation	Qty	Start Date	Due Date	Standard		Workcenter/Supplier		Sign-off
					Setup Hrs	Run Hrs	Workcenter / Supplier	Lead Time	
100	Purchasing	2 pcs	12/17/18	12/17/18	0.00	0.00	Purchasing		DEC 17 2018
110	Packaging	2 pcs	12/17/18	12/17/18	0.00	0.00	Packaging2		DEC 17 2018
120	QC	2 pcs	12/17/18	12/17/18	0.00	0.00	QC6		
130	Packaging	2 pcs	12/17/18	12/17/18	0.00	0.00	Packaging3		
140	QC21-FG	2 Ea	12/17/18	12/17/18	0.00	0.00	QC21		

Part Op 100 - Issue P/O: 041367 MANUFACTURE RBW6305G26631-3G-3 AS PER DWG Supplier: METEC Certificate of Descriptions: conformity is required

Job BOM

Part / Item	Component Name	Quantity	Operation	Container
RBW6305G26631-3G-3P	Handle	2 (1 ea)	100-Purchasing	S137798

Job Allocations

Operation	Component Part	Required	Inventory	Allocated
100-Purchasing	RBW6305G26631-3G-3P	2	0	0

Part Specifications

Specifications could not be found.

Plex 10/26/18 1:45 PM dart.Lussier.Patrick



Container No: S137799



Part: RBW6305G26631-3G-3

Job No: 185462

Serial No/Batch: S137799

Revision: 2

Inspector:

Exp Date:

Instructions:



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
CANADA
TEL: 1 613 632-5200
Email: sales@dartaero.com
www.dartaerospace.com

Date: 12/17/18

S137890
New In stock
Container
of Part

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS					
REV	ECR	DESCRIPTION	DATE	INITIAL	APPROVED
A	14-0156	CH'D TITLEBLOCK WAS RED BARN IS DART. -5 CH'D PART #'S ON CARD WAS RBW6305G26631-3 IS RBW6305G2661-3G-1, WAS RBW6305G26631-3 IS RBW6305G26631-3G-3.	9/19/2014	DJN	RJC
2	16-0132	-1 CH'D DIM WAS (Ø1.375) IS Ø1.38, WAS 3.935 IS 3.94, WAS (.83) IS .83, WAS Ø.313 S.F. -3 THRU ALL IS Ø.3168/.3150 THRU ALL (S.F. -3), ADDED DIM 2X .03 X 45°. -3 CH'D DIM WAS (Ø.313) IS .31 (S.F. -1). CH'D FINISH WAS BLACK ANODIZE, IS BLACK OXIDE SPEC QMSH-6.2.2, B.O. REV D, CH'D MATERIAL WAS 1018 IS 1018/1020 CR. -5, -7, -9 CH'D DWG. TO SHEET METAL TOLERANCES. -5 DELETED TEXT HT. NOTES, CH'D DIM WAS (.06) IS .06 ADDED NOTE USE PDF. -7, -9 CH'D MATERIAL & VENDOR WAS Y20 BLACK, I.R. SPECIALTIES IS ETHAFOAM 220 BLACK, (CASE SOLUTIONS). -7 DELETED DIM'S 4X .37, 4X 1.44, 4X 3.15, 4X .68, 4X .85, 4X R.72. ADDED DIM'S 6X R.50, 4X .75, 4X 45°, CH'D DIM WAS 3.95 IS 3.92, WAS .37 IS .34. -9 DELETED DIM 4X R.45, ADDED DIM'S 4X .45, 4X 45°, 1.00, CH'D DIM'S WAS 4.03 IS 4.06, WAS 1.20 IS 1.17.	11/10/2016	RJC	JAG





NOTE:
REF. AGUSTA T/N: 3G6305G26631.

DART AEROSPACE																									
TITLE MGB ALIGNMENT PINS																									
DWG NO. RBW6305G26631-3G	REV 2																								
<table border="1"> <tr> <td>MAT'L</td> <td>UNLESS OTHERWISE SPECIFIED</td> </tr> <tr> <td>HEAT TREAT</td> <td>DIMENSIONS ARE IN INCHES</td> </tr> <tr> <td>FINISH</td> <td>.XXX ± .005 FRACTIONS ± 1/8</td> </tr> <tr> <td>SPEC</td> <td>.XX ± .01 ANGLES ± 5°</td> </tr> <tr> <td></td> <td>.X ± .1 SURFACES ± 125</td> </tr> <tr> <td>DRAWN BY: MARPET</td> <td>1. BREAK ALL SHARP EDGES .015 x 45° OR .015R</td> </tr> <tr> <td>CHECKED: MACKOVJAK</td> <td>2. DIMENSIONAL LIMITS APPLY AFTER PLATING</td> </tr> <tr> <td>OPPS APPR: ANDERSON</td> <td>3. INTERPRET DIM AND TOL PER ASME Y14.5M-2009</td> </tr> <tr> <td>QA APPR: LINDSAY</td> <td>USED ON MODEL</td> </tr> <tr> <td>APPROVED: GILBERT</td> <td>AW139</td> </tr> <tr> <td>SCALE 1:4</td> <td>DATE 5/30/2013</td> </tr> <tr> <td colspan="2">SHEET 1 OF 6</td> </tr> </table>		MAT'L	UNLESS OTHERWISE SPECIFIED	HEAT TREAT	DIMENSIONS ARE IN INCHES	FINISH	.XXX ± .005 FRACTIONS ± 1/8	SPEC	.XX ± .01 ANGLES ± 5°		.X ± .1 SURFACES ± 125	DRAWN BY: MARPET	1. BREAK ALL SHARP EDGES .015 x 45° OR .015R	CHECKED: MACKOVJAK	2. DIMENSIONAL LIMITS APPLY AFTER PLATING	OPPS APPR: ANDERSON	3. INTERPRET DIM AND TOL PER ASME Y14.5M-2009	QA APPR: LINDSAY	USED ON MODEL	APPROVED: GILBERT	AW139	SCALE 1:4	DATE 5/30/2013	SHEET 1 OF 6	
MAT'L	UNLESS OTHERWISE SPECIFIED																								
HEAT TREAT	DIMENSIONS ARE IN INCHES																								
FINISH	.XXX ± .005 FRACTIONS ± 1/8																								
SPEC	.XX ± .01 ANGLES ± 5°																								
	.X ± .1 SURFACES ± 125																								
DRAWN BY: MARPET	1. BREAK ALL SHARP EDGES .015 x 45° OR .015R																								
CHECKED: MACKOVJAK	2. DIMENSIONAL LIMITS APPLY AFTER PLATING																								
OPPS APPR: ANDERSON	3. INTERPRET DIM AND TOL PER ASME Y14.5M-2009																								
QA APPR: LINDSAY	USED ON MODEL																								
APPROVED: GILBERT	AW139																								
SCALE 1:4	DATE 5/30/2013																								
SHEET 1 OF 6																									



ASSY QTY	ASSY QTY	B/O	Part #	UNIT QTY	Description	Material	B/O INFORMATION OR SPECIFICATIONS	PG.
			-1	4	PIN	BRASS		2
			-3	4	HANDLE	1018/1020 CR	(MCMASTER-CARR #8920K265) MODIFIED	3
			-5	1	PLACARD	PLASTIC		4
		B/O	-7	1	BOTTOM FOAM	ETHAFOAM 220, BLACK	3.92 X 9.08 X 11.98 (CASE SOLUTIONS)	5
		B/O	-9	1	TOP FOAM	ETHAFOAM 220, BLACK	1.17 X 9.08 X 11.98 (CASE SOLUTIONS)	6
		B/O	-11	1	CASE	PLASTIC, BLACK	PELICAN #APP-1400-E	N/S
		B/O		1	PLACARD	ALUMINUM	RB41011	N/S

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS					
REV	ECR	DESCRIPTION	DATE	INITIAL	APPROVED
2	16-0132	-1 CH'D DIM WAS (Ø1.375) IS Ø1.38, WAS 3.935 IS 3.94, WAS (.83) IS .83, WAS Ø.313 S.F. -3 THRU ALL IS Ø.3168/.3150 THRU ALL (S.F. -3), ADDED DIM 2X .03 X 45°.	11/10/2016	RJC	JAG



(-1)
PIN




DART AEROSPACE	
TITLE MGB ALIGNMENT PINS	
DWG NO. RBW6305G26631-3G-1	REV 2
MAT'L BRASS HEAT TREAT FINISH SPEC	
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES .XXX ± .005 FRACTIONS ± 1/8 .XX ± .01 ANGLES ± 5° .X ± .1 SURFACES = 125/√	
1. BREAK ALL SHARP EDGES .015 X 45° OR .015R	
2. DIMENSIONAL LIMITS APPLY AFTER PLATING	
3. INTERPRET DIM AND TOL PER ASME Y14.5M-2009	
USED ON MODEL	
DRAWN BY: MARPET CHECKED: MACKOVJAK OPPTS APPR: ANDERSON QA APPR: LINDSAY APPROVED: GILBERT	AW139
SCALE 1:2	DATE 1/23/2013 SHEET 2 OF 6

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS					
REV	ECR	DESCRIPTION	DATE	INITIAL	APPROVED
2	16-0132	-3 CH'D DIM WAS (Ø.313) IS .31 (S.F. -1), CH'D FINISH WAS BLACK ANODIZE, IS BLACK OXIDE SPEC QMSI-6.2.2, B.O. REV'D, CH'D MATERIAL WAS 1018 IS 1018/1020 CR.	11/10/2016	RJC	JAG

Ø.31
(S.F. -1)



2X .03 X 45°



(-3)

HANDLE

DART AEROSPACE	
TITLE MGB ALIGNMENT PINS	
DWG NO. RBW6305G26631-3G-3	REV 2
MAT'L 1018/1020 CR	UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES
HEAT TREAT	.XXX ± .005 FRACTIONS ± 1/8
FINISH BLACK OXIDE	.XX ± .01 ANGLES ± 5°
SPEC QMSI-6.2.2, B.O. REV D	.X ± .1 SURFACES = 125/√
DRAWN BY: MARPET	1. BREAK ALL SHARP EDGES .015 X 45° OR .015R
CHECKED: MACKOVJAK	2. DIMENSIONAL LIMITS APPLY AFTER PLATING
OPPS APPR: ANDERSON	3. INTERPRET DIM AND TOL PER ASME Y14.5M-2009
QA APPR: LINDSAY	USED ON MODEL
APPROVED: GILBERT	AW139
SCALE 1:2	DATE 1/23/2013
SHEET 3 OF 6	

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS					
REV	ECR	DESCRIPTION	DATE	INITIAL	APPROVED
1		-5 CH'D PART #'S ON CARD WAS RBW6305G26631-3 IS RBW6305G2661-3G-1, WAS RBW6305G26631-3 IS RBW6305G26631-3G-3.	11/9/2016		
2	16-0132	-5 DELETED TEXT HT. NOTES, CH'D DIM WAS (.06) IS .06 ADDED NOTE USE PDF, CH'D DWG TO SHEET METAL TOLERANCES.	11/10/2016	RJC	JAG





NOTE:
USE PDF.

(-5)
PLACARD

DART AEROSPACE	
TITLE MGB ALIGNMENT PINS	
DWG NO. RBW6305G26631-3G-5	REV 2
MAT'L PLASTIC HEAT TREAT FINISH SPEC	
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES .XXX ± .010 FRACTIONS ± 1/8 .XX ± .03 ANGLES ± 1° .X ± .1 SURFACES = 125/√	
1. BREAK ALL SHARP EDGES .015 x 45° OR .016R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING 3. INTERPRET DIM AND TOL PER ASME Y14.5M-2009	
DRAWN BY: MARPET	USED ON MODEL
CHECKED: MACKOVJAK	AW139
OPPS APPR: ANDERSON	
QA APPR: LINDSAY	
APPROVED: GILBERT	
SCALE 1:1	DATE 5/30/2013 SHEET 4 OF 6

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS				
REV	ECR	DESCRIPTION	DATE	INITIAL
2	16-0132	-7 DELETED DIM'S 4X .37, 4X 1.44, 4X 3.15, 4X .68, 4X .85, 4X R.72, ADDED DIM'S 6X R.50, 4X .75, 4X 45°, CH'D DIM WAS 3.95 IS 3.92, WAS ∇ .37 IS ∇ .34, CH'D MATERIAL & VENDOR WAS Y20 BLACK, I.R. SPECIALTIES IS ETHAFOAM 220 BLACK, (CASE SOLUTIONS), CH'D DWG. TO SHEET METAL TOLERANCES.	11/10/2016	RJC
				JAG






⑦
BOTTOM FOAM

DART AEROSPACE	
TITLE MGB ALIGNMENT PINS	
DWG NO. RBW6305G26631-3G-7	REV 2
MAT'L ETHAFOAM 220, BLACK	UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES
HEAT TREAT	.XXX ± .010 FRACTIONS ± 1/8
FINISH	.XX ± .03 ANGLES ± 1°
SPEC	X ± .1 SURFACES = 125/
DRAWN BY: MARPET	1. BREAK ALL SHARP EDGES .015 x 45° OR .016R
CHECKED: MACKOVJAK	2. DIMENSIONAL LIMITS APPLY AFTER PLATING
OPPS APPR: ANDERSON	3. INTERPRET DIM AND TOL PER ASME Y14.5M-2009
QA APPR: LINDSAY	USED ON MODEL
APPROVED: GILBERT	AW139
SCALE 1:4	DATE 5/30/2013
SHEET 5 OF 6	

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS					
REV	ECR	DESCRIPTION	DATE	INITIAL	APPROVED
2	16-0132	-9 DELETED DIM 4X R.45, ADDED DIM'S 4X .45, 4X 45°, 1.00, CH'D DIM'S WAS 4.03 IS 4.06, WAS 1.20 IS 1.17, CH'D MATERIAL & VENDOR WAS Y20 BLACK, I.R. SPECIALTIES IS ETHAFOAM 220 BLACK, (CASE SOLUTIONS), CH'D DWG. TO SHEET METAL TOLERANCES.	11/10/2016	RJC	JAG



SECTION A-A

⑨
TOP FOAM

DART AEROSPACE	
TITLE MGB ALIGNMENT PINS	
DWG NO. RBW6305G26631-3G-9	REV 2
MAT'L ETHAFOAM 220, BLACK	UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES
HEAT	.XXX ± .010 FRACTIONS ± 1/8
TREAT	.XX ± .03 ANGLES ± 1°
FINISH	.X ± .1 SURFACES = 125/
SPEC	1. BREAK ALL SHARP EDGES .015 x 45° OR .015R
DRAWN BY: MARPET	2. DIMENSIONAL LIMITS APPLY AFTER PLATING
CHECKED: MACKOVJAK	3. INTERPRET DIM AND TOL PER ASME Y14.5M-2009
OPPS APPR: ANDERSON	USED ON MODEL
QA APPR: LINDSAY	AW139
APPROVED: GILBERT	
SCALE 1:4	DATE 5/30/2013 SHEET 6 OF 6



Dart Aerospace Ltd.
1270 Aberdeen St
Hawkesbury, ON
K6A 1K7
Canada

Tel (613) 632-5200

PURCHASE ORDER **PO041367**

Supplier: MEM001-VC
Metec Metal Technology Inc.
20 Terry Fox Drive PO Box 781
Vankleek Hill
ON
K0B 1R0 Canada
Phone: 613 678 3957
Fax: 613 678 3956

Attention: Walz, Shigi

Ship To: 1270 Aberdeen Street
Hawkesbury
ON
K6A 1K7 Canada
Phone: 613-632-5200

PO No: PO041367
PO Date: 10/16/18
Due Date: 12/17/18
Purchase Order
Revision:
Revision Date:
Ship-To Contact: Phone:

Via: Ground
Pymt Terms: Net 60
Freight Terms:
Special Comments:

Revised

Items													
Line Item	Job	Part	Supplier Part No	Item No	Description	Status	Account	Due Date	Order Quantity	Received Quantity	Balance	Unit Price (CAD)	Extended Price
1	185295	RBW6005G01631-3GP			Dial Indicator Swash Plate Scissors Support REV A	Firmed	-	12/17/18	2 pcs	0 pcs	2 pcs	\$1,150.00/pcs	\$2,300.00
Line Item Note SIOP													
2	185392	RBW1205G00231-3GP			Main Rotor Damper Oil Filling Adapter REV 2B	Firmed	-	12/17/18	3 pcs	0 pcs	3 pcs	\$1,000.00/pcs	\$3,000.00
Line Item Note SIOP													
3	185298	RBW6405G00332-3GP			Tail Rotor Pitch Control Adjustment Tool REV 5	Firmed	-	12/17/18	1 pcs	0 pcs	1 pcs	\$1,500.00/pcs	\$1,500.00
Line Item Note SIOP													
4	185299	RBW6005G01531-3GP			Dial Indicator Main Rotor Damper Support REV 2	Firmed	-	12/17/18	2 pcs	0 pcs	2 pcs	\$900.00/pcs	\$1,800.00
Line Item Note SIOP													
5	185300	RBW6405G00531-3GP			Tail Rotor Damper Length Adjustment Tool REV A	Firmed	-	12/17/18	2 pcs	0 pcs	2 pcs	\$700.00/pcs	\$1,400.00
Line Item Note SIOP													
6	185301	RBW6405G02131-3GP			Tail Rotor Blade Damper Attachment Bushing Removal REV D	Firmed	-	12/17/18	2 pcs	0 pcs	2 pcs	\$500.00/pcs	\$1,000.00
Line Item Note SIOP													
7	185302	RBW6205G05951-3GP			RBW6205G05951-3GP REV 2	Firmed	-	12/17/18	2 pcs	0 pcs	2 pcs	\$450.00/pcs	\$900.00
Line Item Note SIOP													



Dart Aerospace Ltd.
1270 Aberdeen St
Hawkesbury, ON
K6A 1K7
Canada

Tel (613) 632-5200

PURCHASE ORDER **PO041367**

Items													
Line Item	Job	Part	Supplier Part No	Item No	Description	Status	Account	Due Date	Order Quantity	Received Quantity	Balance	Unit Price (CAD)	Extended Price
8	185303	RBW3205G00151-3GP			Main Landing Gear R&R Wrench REV 2	Firmed	-	12/17/18	2 pcs	0 pcs	2 pcs	\$400.00/pcs	\$800.00
Line Item Note: SIOP 2x DEC 18 2018 ORDER 7393 22 Jan 2019													
9	185349	RBW6205G26631-3GP			Wrench, MR Scissor Retaining Nut Removal/Install REV 2	Firmed	-	12/17/18	2 pcs	0 pcs	2 pcs	\$280.00/pcs	\$560.00
Line Item Note: SIOP 2x DEC 18 2018													
10	185352	RBW6205G26551-3GP			Main Rotor Scissor Locknut REV B	Firmed	-	12/17/18	2 Ea	0 Ea	2 Ea	\$175.00/Ea	\$350.00
Line Item Note: SIOP 2x DEC 17 2018													
11	185353	RBW109-3101-58-2P			Hammer, Aluminum, Blade Corrosion and Voids Detection REV 3	Firmed	-	12/17/18	2 pcs	0 pcs	2 pcs	\$150.00/pcs	\$300.00
Line Item Note: SIOP 2x DEC 18 2018													
12	185354	RBW109-3101-58-1P			Hammer, Steel, Blade Corrosion and Voids Detection REV 3	Firmed	-	12/17/18	1 pcs	0 pcs	1 pcs	\$150.00/pcs	\$150.00
Line Item Note: SIOP 1x DEC 18 2018													
13	185406	RBW6205G03451-3GP			Bolt Guide Removal & Install REV 2B	Firmed	-	12/17/18	3 Ea	0 Ea	3 Ea	\$625.00/Ea	\$1,875.00
Line Item Note: SUB ASSEMBLY OF RBW6205G00331-3G ORDER 7393 22 Jan 2018													
14	185407	RBW6205G08451-3GP			Puller Bolt Removal REV 2B	Firmed	-	12/17/18	3 Ea	0 Ea	3 Ea	\$625.00/Ea	\$1,875.00
Line Item Note: SUB ASSEMBLY OF RBW6205G00331-3G 3x DEC 17 2018 ORDER 7393 22 Jan 2018													
15	185423	RBW6205G08031-3GP			Main Rotor Flanged Bushing Removal Tool REV 2	Firmed	-	12/17/18	1 Ea	0 Ea	1 Ea	\$1,125.00/Ea	\$1,125.00
Line Item Note: SUB ASSY FOR RBW6205G06231-3G 1x DEC 17 2018 ORDER 7393 22 Jan 2018													
16	185424	RBW6205G08131-3GP			Main Rotor Flanged Bushing Install Tool REV 2	Firmed	-	12/17/18	1 Ea	0 Ea	1 Ea	\$1,125.00/Ea	\$1,125.00
Line Item Note: SUB ASSY FOR RBW6205G06231-3G 1x DEC 17 2018 ORDER 7393 22 Jan 2018													
17	185429	RBW6405G08832-3GP			Tail Rotor Bushing Install Tool As Per Dwg RBW6405G08832-3G Rev/ D	Firmed	-	12/17/18	1 Ea	0 Ea	1 Ea	\$875.00/Ea	\$875.00
Line Item Note: SUB ASSY FOR RBW6405G08832-3G 1x DEC 18 2018 ORDER 7393 22 Jan 2019													



Dart Aerospace Ltd.
1270 Aberdeen St
Hawkesbury, ON
K6A 1K7
Canada

Tel (613) 632-5200

PURCHASE ORDER **PO041367**

Items													
Line Item	Job	Part	Supplier Part No	Item No	Description	Status	Account	Due Date	Order Quantity	Received Quantity	Balance	Unit Price (CAD)	Extended Price
18		RBW6405G08732-3GP			Tail Rotor Bushing Removal Tool RBW6405G08732-3G Rev. E	Firmed	-	12/17/18	1 Ea	0 Ea	1 Ea	\$875.00/Ea	\$875.00
Line Item Note SUB ASSY FOR RBW6405G08632-3G													
19	185430	RBW6205G10451-3GP			Threaded Rod	Firmed	-	12/17/18	1 Ea	0 Ea	1 Ea	\$208.33/Ea	\$208.33
Line Item Note SUB ASSY FOR RBW6205G08931-3G													
20	185431	RBW6205G10551-3GP			Hammer	Firmed	-	12/17/18	1 Ea	0 Ea	1 Ea	\$208.33/Ea	\$208.33
Line Item Note SUB ASSY FOR RBW6205G08931-3G													
21	185432	RBW6205G10351-3GP			Guide REV 1	Firmed	-	12/17/18	1 Ea	0 Ea	1 Ea	\$208.33/Ea	\$208.33
Line Item Note SUB ASSY FOR RBW6205G08931-3G													
22	185433	RBW6205G10251-3GP			Threaded Rod	Firmed	-	12/17/18	1 Ea	0 Ea	1 Ea	\$208.33/Ea	\$208.33
Line Item Note SUB ASSY FOR RBW6205G08931-3G													
23	185434	RBW6205G10151-3GP			Pusher REV 1	Firmed	-	12/17/18	1 Ea	0 Ea	1 Ea	\$208.33/Ea	\$208.33
Line Item Note SUB ASSY FOR RBW6205G08931-3G													
24	185435	RBW6205G10651-3GP			Stop	Firmed	-	12/17/18	1 Ea	0 Ea	1 Ea	\$208.33/Ea	\$208.33
Line Item Note SUB ASSY FOR RBW6205G08931-3G													
25	185461	RBW6305G26631-3G-1P			Pin REV 2	Firmed	-	12/17/18	8 Ea	0 Ea	8 Ea	\$56.25/Ea	\$450.00
Line Item Note SUB ASSY FOR RBW6305G26631-3G													
26	185462	RBW6305G26631-3G-3P			Handle REV 2	Firmed	-	12/17/18	8 Ea	0 Ea	8 Ea	\$56.25/Ea	\$450.00
Line Item Note SUB ASSY FOR RBW6305G26631-3G													
Grand Total:												\$23,959.98	

Order Notes

Procurement Quality Clauses

A005 RIGHT OF ENTRY
A008 FIRST ARTICLE INSPECTION (FAI) BY SELLER, (DOCUMENTATION SENT TO DART AEROSPACE)
A012 CHEMICAL AND PHYSICAL TEST REPORTS
A016 PERSONNEL QUALIFICATION
A017 RAW MATERIAL IDENTIFICATION (AS APPLICABLE)
A026 CERTIFICATION OF MATERIAL CONFORMANCE
A041 QUALITY MANAGEMENT SYSTEM
A042 DART NOTIFICATION BY SUPPLIER
A043 RETENTION OF QUALITY DOCUMENT

A048 COUNTERFEIT PARTS AVOIDANCE, DETECTION, MITIGATION AND DISPOSITION PROGRAM

A049 SUPPLIER AWARENESS

Terms & Condition of Purchasing(Suppliers) and Procurement Quality Clauses are an integral part of our AS9100 requirements. To learn in detail, please visit www.dartaerospace.com for further explanation.

Packing List

Bill Dart Aerospace Ltd.
To: 1270 Aberdeen Street
 Hawkesbury, ON K6A 1K7
 Canada

Ship Dart Aerospace Ltd.
To: 1270 Aberdeen Street
 Hawkesbury, ON K6A 1K7
 Canada

Shipment No: 24412
Shipment Date: 19-Dec-2018
Ship Via: our truck
Order Number: 3096
Order Date: 10/17/18

Customer Code: DART
Phone: (613) 632-9577
PO Number: PO041367
Terms: Net 60 Days

----- Quantity -----							
<u>Item</u>	<u>Open</u>	<u>Shipped</u>	<u>B/O</u>	<u>Canceled</u>	<u>Unit</u>	<u>Description</u>	<u>Revision</u>
27	8	8	0	0	EA	DART-RBW6305G26631-3G-3P MGB Alignment Pins - Handle	2
							Job Number
							3096-27

DAS
61
9-89

The delivered goods must be inspected upon receipt to confirm compliance. Should there be discrepancies please notify METEC within 30 days of delivery. The goods are otherwise deemed accepted.

Received In Good Order By

THE UNIVERSITY OF CHICAGO

DEPARTMENT OF CHEMISTRY

LABORATORY

REPORT OF THE

RESEARCH



20 Terry Fox Drive, Vankleek Hill, Ontario K0B 1R0

Tel. (613) 678-3957 & (613) 678-2782 Fax (613) 678-3956 metec@metec.ca

CERTIFICATE OF CONFORMITY

SOLD TO:

Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, Ont.
K6A 1K7

SHIPPED TO:

same

Quantity	Part Number	Part Name	Dwg Rev.#	P.O. Number
8 ✓	DART-RBW6305G26631- 3G-3P DAS 61 986	MGB Alignment Pins - Handle	2	41367 ✓

MATERIAL: supplied by METEC

We hereby certify that the above parts were made in conformance with applicable drawings.

METEC Metal Technology Inc.

George Theoret

Vankleek Hill, December 19, 2018

THE JOURNAL OF THE AMERICAN MEDICAL ASSOCIATION

PUBLISHED WEEKLY
Subscription price, \$5.00 per annum in advance

CONTENTS

ORIGINAL ARTICLES

1. The Role of the Physician in the Management of the Patient with a Chronic Disease
2. The Role of the Physician in the Management of the Patient with a Chronic Disease
3. The Role of the Physician in the Management of the Patient with a Chronic Disease

4. The Role of the Physician in the Management of the Patient with a Chronic Disease
5. The Role of the Physician in the Management of the Patient with a Chronic Disease
6. The Role of the Physician in the Management of the Patient with a Chronic Disease

DEPARTMENTS

7. The Role of the Physician in the Management of the Patient with a Chronic Disease
8. The Role of the Physician in the Management of the Patient with a Chronic Disease
9. The Role of the Physician in the Management of the Patient with a Chronic Disease

NOTES

LETTERS TO THE EDITOR